

800.204.7199

www.amfsteel.com









QUALITY STEEL BUILDINGS

- Look beautiful with a variety of colors to choose from
- · Provides strong warranties
 - Stop corrosion
 - Meet the code for heavy snow, strong winds, hurricanes, and even earthquakes












FRAMING







ROOF COATING

All Metal Fab Steel Buildings, Inc.

- AZ55 55% of coating is aluminum
- 25 year perforation warranty back by the steel mill
- No painting/maintenance required

- AZ50 50% of coating is aluminum
- Offer only 20 year warranty
- Some manufacturers use zinc, which will rust









FASTENERS

All Metal Fab Steel Buildings, Inc.

- Long-life fasteners
- Lifetime warranty
- No rusting or oxidation
- Stay shiny and match roof keeps the building beautiful

Competition

Some use zinc, which will rust









MASTIC TAPE

All Metal Fab Steel Buildings, Inc.

- · 3/4" double beaded
- · Guarantees no leaks
- 100% more caulking than other competitors

- · 3/8" mastic tape
- · Not double beaded
- · Will have leaks










ROOF SYSTEM

All Metal Fab Steel Buildings, Inc.

- Purlin Bearing Rib roof (PBR)
- Full overlap
- · Prevents leaks
- Provides additional strength

- "R" panel roof system
- Overlap only extends 1/3 of the way
- Does not provide added strength
- · Can leak







800.204.7199 www.amfsteel.com

PAINTED SIDEWALL PANELS

All Metal Fab Steel Buildings, Inc.

 25 year warranty against chipping cracking, peeling, and blistering

Competition

• 20 year warranty on paint






SIDE PANELS

All Metal Fab Steel Buildings, Inc.

- PBR panel on sides
- Full overlap protects against leaks

- "R" panel on the sides
- Overlap only extends 1/3 of the way
- · Can leak






SIDE PANELS: FASTENERS

All Metal Fab Steel Buildings, Inc.

- Long-life screws
 - Color matches side panels
 - Lifetime warranty
 - Will not turn dark gray or black and will stay shiny
- Neoprene washers
 - Stop over-drilling and tearing of sheeting and cracking of paint

- · Zinc base, can rust
- No neoprene washer
 - Does not prevent over-drilling










BASE ANGLE AND BASE TRIM


All Metal Fab Steel Buildings, Inc.

- Base angle made of 16-gauge steel,
 .061 thickness
- No exposed concrete on bottom with base trim - keeping the building attractive
- · No leaks



- Base angle made of 20-gauge steel,
 .038 thickness can warp
- Base trim optional, at additional cost
- Exposed concrete making the building attractive
- · Can have leaks










OVERHEAD DOOR FRAMES

All Metal Fab Steel Buildings, Inc.

- Jamb covers and header covers are supplied
- Colored covers to match trim of building
- "J" trim creates an attractive appearance and protects against corrosion



- "R" panel on the sides
- 1/3 overlap does not protect against leaks



